



DRIVING MARKET CHANGE

Generating customers' value based on unique CO₂ technologies

... in partnership with Nature!



A UNIQUE RANGE OF COOLING SOLUTIONS

HIGHLY EFFICIENT

COMPACT

SILENT

EASY TO INSTALL



CDU-S
MT: 3.3 kW



CDU-M
MT: 4.0 kW / LT: 2.0kW



CDU-L
MT: 8.9 kW / LT: 3.7kW



CDU-S
MT: 3.3 kW
on 1 loop



Serve-over counters
up to 2.9m
@T_{evap} -6°C



Multidecks
up to 6.3m with doors
@T_{evap} -6°C



Cold rooms or labs
up to 33 m³
@T_{room} +2°C



CDU-M

MT: 4.0 kW / LT: 2.0 kW
on 1 loop



Serve-over counters
up to 3.5m
@T_{evap} -6°C



Multidecks with doors
up to 7.7m @T_{evap} -6°C
up to 2.7m @T_{evap} -35°C



Cold rooms or labs
up to 42 m³ @T_{evap} +2°C
up to 23 m³ @T_{evap} -20°C



CDU-L

MT: 8.9 kW / LT: 3.7 kW
on 2 loops (independent T° control)



Serve-over counters
up to 7.5m
@T_{evap} -6°C



Multidecks with doors
up to 17.0 m @T_{evap} -6°C
up to 5.0 m @T_{evap} -35°C



Cold rooms or labs
up to 110 m³ @T_{room} +2°C
up to 60 m³ @T_{room} -20°C

A UNIQUE RANGE OF COOLING SOLUTIONS AVOIDING OVERSIZED SYSTEMS FOR SMALL STORES



CDU-S
MT: 3.3 kW



CDU-M
MT: 4.0 kW / LT: 2.0kW



CDU-L
MT: 8.9 kW / LT: 3.7kW



DRIVING MARKET CHANGE

Generating customers' value based on unique CO₂ technologies

... in partnership with Nature!

