




ATMO
sphere





CO₂ transcritical plant based on superheat optimization

Eliwell by Schneider Electric






ELIWELL and SCHNEIDER-ELECTRIC



The global specialist
in energy management
and automation



The expert centre and
brand for refrigeration
solutions

CO₂ TRANSCRITICAL PLANT BASED ON SUPERHEAT OPTIMIZATION

- **Case study of CO₂ DOMINO booster solution**
 - Minimize equipment complexity
 - Minimize commissioning & maintenance
- **Efficiency at all equators**
 - Modular approach


CASE STUDY – SUPERMARKET LAYOUT

- 1.200 m² in South Switzerland
- CO₂ Transcritical booster rack
- 12 cabinets & 2 cold rooms with EEV




ORIGINAL DESIGN – CO₂ BOOSTER CONFIGURATION

- Electronic EEV controller
- Evaporator superheat set at 8 K
- MT suction pressure set at 25 bar



CO₂ DOMINO BOOSTER CONFIGURATION

- DOMINO Pulse EEV controller
- Evaporator superheat set at 4 K
- MT suction pressure set at 30 bar



CASE STUDY RESULTS – CO₂ DOMINO vs ORIGINAL DESIGN

- 2 parameters superheat settings
- No liquid return to compressors
- MT suction from 25 to 30 bar
- No oil return issues



~ 10%
savings

EXPERIMENTAL SETUP – MAXIMUM PERFORMANCES


- 2 parameters superheat settings
- No liquid return to compressors
- MT suction up to 32 bar
- No oil return issues



~ 15%
savings

MODULAR APPROACH FOR EFFICIENCY AT EACH EQUATOR

- Minimal incremental complexity
- Modular approach
- Same setting and maintenance



CO₂ DOMINO SOLUTION WRAP-UP

- Installation as easy as a booster
- Pulse EEVs oversized
- Efficiency comparable to the ejector
- Easy setup and maintenance
- Efficiency at all equators with modular approach



Thank you very much!

